H2 S4 HYDROGEN SENSOR



SPECIFICATION

Operating Principle:	Amperometric, 3-electrode cell	
Gas Detected:	Hydrogen H ₂	
Measurement Range:	0 – 20,000 ppm	
Lower Detectable Limit (LDL): 100 ppm		
Maximum Range:	40,000 ppm	
LEL:	40,000 ppm	
Expected Operating Life:	5 years	
Temperature Range:	-20°C to +80°C	
Humidity Range (non-condensing): 15 - 90% RH		
Response Time (T50):	<10 seconds	
Response Time (T90):	<30 seconds	
Long Term Sensitivity Drift:	<10% per year	
Deviation From Linearity at Standard Range: < 20% FS		
Zero Current at Normal Conditions: +/- 100nA		
Sensitivity:	0.4 – 10.0 nA/ppm	
Sensor Warm-Up Time (typical): 20 seconds		
Temperature Dependence:	<0.3% per °C	
Sensor dimensions:	4 series design	
	ø 20.5mm; Height 18.2mm	
Part Number:	2112B041001	



EURO-GAS MANAGEMENT SERVICES LTD, REVELSTOKE HOUSE, STOKE ROAD, NOSS MAYO, PLYMOUTH, DEVON PL8 1EY, UK a: +44 (0)1752 872222 Fax: +44 (0)1752 872223 euro-gas@btconnect.com www.euro-gasman.com

H2 S4 HYDROGEN SENSOR

CROSS SENSITIVITY DATA

GAS	CONCENTRATION	READING IN PPM
Ammonia NH ₃	25 ppm	0
Carbon Dioxide CO ₂	5000 ppm	0
Carbon Monoxide CO	50 ppm	37
Chlorine Cl ₂	1.0 ppm	0
Hydrocarbons unsaturated	1%	0
Hydrogen H ₂	1000 ppm	1000
Hydrogen Sulphide H ₂ S	10 ppm	0
Isopropanol C ₃ H ₇ OH	1000 ppm	0
Nitric Oxide NO	20 ppm	?
Nitrogen Dioxide NO ₂	10 ppm	?
Ozone O ₃	0.5 ppm	0
Sulphur Dioxide SO ₂	20 ppm	?

Note: Test conditions at 20° C / 1013 hPa, flow rate > 500 qcm/min. Cross-sensitivity gases are not target gases. Relationship can change over time.

The data contained in this document is believed to be accurate and reliable. The data given is for guidance only. Euro-Gas Management Services Ltd accepts no liability for any consequential losses, injury or damage resulting from the use of this datasheet or the information contained in it. Customers should test the sensors under their own conditions to ensure that the sensors are suitable for their own requirements and in accordance with the plans and circumstances of the specific project and any standards/regulations pertaining to the country in which the sensors will be utilised. This datasheet is not intended to form the basis of a contract and in the interest of product improvement, Euro-Gas reserves the right to alter design features and specifications without notice. 09/10

EURO-GAS MANAGEMENT SERVICES LTD, REVELSTOKE HOUSE, STOKE ROAD, NOSS MAYO, PLYMOUTH, DEVON PL8 1EY, UK : +44 (0)1752 872222 Fax: +44 (0)1752 872223 euro-gas@btconnect.com www.euro-gasman.com

